

Case Studies



+

CLIP**EX**

+



=

Triple X
Long-Life Fencing Solution
From McVeigh Parker

www.mcveighparker.com 0333050115



Multi-Award Winning Fencing Solutions From McVeigh Parker



- Long-life fencing solution
- More Than 1,000,000 Posts Sold (2019)
- Strong premium long-lasting wire netting
- Strainers designed and made in Britain
- 30 Year Guarantee

Triple X fencing system is the way forward for a wide range of applications. We have many clients who have realised that the huge savings in time, money, and maintenance mean they are able to see significantly better returns on their investment when compared to traditional materials.

The following pages illustrate some of the wide variety of applications that our clients who have purchased the Triple X fencing system have put it to. From challenging terrain, security, livestock containment through to badger, otter, poultry and boar fencing. Triple X and bespoke variations of our system have proved to be the best all round solution.

Sustainable, durable and adaptable fencing for the next generation



“Fencing for the next generation”



Triple X brochure
[CLICK HERE >](#)



Specification sheets available
[CLICK HERE >](#)



KEY



Videos available

CODES

Product links

Contents

Triple X National Trust	4-5
Triple X Balcaskie Estate	6
Lamb friendly Deer Fence	7
Triple X Livestock Electric	8
Triple X Railway/Cattle	9
Triple X Horse Fencing	10
Matt Smith Stock Fence	11
Triple X Red Deer Containment	12
Deer Xfence	13
Triple X Solar Farm	14
My Dog Field	15
Flood Fence	16
Stony Terrain	17
Rabbit Netting Hex Wire	18
Tree Plantation Hex Wire	18
Line Wire Systems	19
Triple X Poultry	20
Semi-Permanent Electric Fence	21
Bespoke Post Designs	22
Dropper Line Wire System	23



NATIONAL TRUST 'OUT WITH THE OLD'

The National Trust needed to replace their deteriorating original metal fence, which had stood for over 100 years. Aesthetics, time and value for money were all considerations. The terrain was extremely challenging. The project required a product that would not only stand up to stock pressure but would be easier to transport and erect on site. Triple X fencing system was chosen as it solved all these problems.

Intermediate posts:

1.8m 11 clip Clipex Standard posts

Intermediate post centres:

4m centres for woodland perimeter and 3m for dividing paddocks

Beefy Intermediates:

Used at slight changes in direction

Strainer Type:

Triple X all steel diagonal strainer

Wire Type:

Xfence premium long-life wire netting, XHT8-80-15, 2.0mm high tensile heavily galvanised barbed wire

Tools Used: Hand-held petrol driver, cutters, stock fence clamp, and hook chain strainer

CL2715

CL2720

KCPX10

KCPX20

F2412

F2014

CL2795

1.8m 11 clip Clipex intermediate Standard posts

2.0m 11 clip Clipex Beefy posts

Triple X strainer 2.4m, ends c/w struts

Triple X strainer 2.4m, two way/corner c/w struts

Xfence XHT8-80-15, 100m

2.0mm high tensile barbed wire, 200m

Petrol Hand Held Post Driver



📍 SURREY



“
I initially rejected Clipex due to its light appearance and what I thought would be fiddly installation, I have been proved wrong. I have been very impressed how quickly it can be erected and combining Xfence and the Triple X strainers makes for a very strong fence. I certainly think it's going to be the future of fencing.”

-Nathan of NB Fencing Services



NATIONAL TRUST CISSBURY HILL

SUSSEX

Cissbury Ring, the most historic hill on the South Downs, is set high up on a chalk promontory. The National Trust required a fence creating minimal ground disturbance due to the historic importance of the site, and one that would not be detrimental to the landscape. It also needed to last longer than current timber fences. Triple X fencing system was the preferred choice.

Intermediate posts:

1.8m 11 clip Clipex intermediate Standard posts

Intermediate post centres:

4.5m centres

Strainer Type:

Triple X all steel strainer every 150m



Wire Type:

XHT8-80-22 Xfence lamb friendly netting, high tensile 2.00mm barbed wire, baseline 2.5mm high tensile galvanised wire

“ We were worried about the shininess of the new posts, now the fence is up their small profile makes them almost invisible with the sun only really catching the struts, which will fade over time. We used a post driver on the straining post where we could and used a manual post driver for the rest. We had to use the existing post holes because of the monument status. All intermediates were hand driven. ”

- Mr Oliver, Head Warden

CONTRACTORS
CHOICE



XHT8-80-22 AVAILABLE IN
300M AND 500M ROLLS [CLICK HERE >](#)



[CL2715](#)

[CL2720](#)

[KCPX10](#)

[KCPX20](#)

[F2415](#)

[F2014](#)

1.8m 11 clip Clipex intermediate Standard posts

2.0m 11 clip Clipex Beefy posts

Triple X strainer 2.4m, ends c/w struts

Triple X strainer 2.4m, two way/corner c/w struts

Xfence XHT8-80-22, 100m

2.0mm high tensile barbed wire, 200m





TRIPLE X BALCASKIE ESTATE

📍 FIFE - SCOTLAND

Our Key Account Manager in Scotland, Geoff Goodfellow, met the Estate team at The Royal Highland Show where they were interested in the Clipex posts. After quoting on a section and rigorous testing, Triple X is now the system of choice at this forward looking Estate.

Jim McLure & Poul Thomassen are the two men with the responsibility of maintaining the Balcaskie Estate, they have both been very busy throughout the exceptionally difficult past year, as well as all the usual demanding work on the Estate, they have also installed over 20,000m of fencing, choosing the multi award winning Triple X fencing system.

The Balcaskie Estate is in the East Neuk of Fife, source to some of the best ingredients in Scotland, with its rich fertile volcanic soil, bounded on three sides by the sea. The severe weather conditions of the coastal location meant serious consideration had to be given to the type of fencing chosen.



"We would highly recommend it, the cost of Triple X fencing it is no more expensive than timber, when you take your time into it you are making a saving on a fence that will last for generations".

- Jim McLure, Balcaskie, Farm & Estate Maintenance

Intermediate posts:

1.8m 11 clip Clipex Standard posts

Intermediate post centres:

4m centres

Beefy Intermediates:

2.0m Beefys 11 clip (beefy every 4th post)

Strainer Type:

Triple X all steel diagonal end strainer
Triple X all steel corner/two way strainer

Wire Type:

Xfence XHT8-80-22 lamb friendly netting,
2.5mm High tensile electric top wire

Tools Used: Tractor knocker in the summer months, quad and handheld petrol driver in the winter

READ IN FULL ON OUR BLOG [CLICK HERE >](#)

CL2715	1.8m 11 clip Clipex intermediate Standard posts
CL2720	2.0m 11 clip Clipex Beefy posts
KCPX10	Triple X strainer 2.4m, ends c/w struts
KCPX20	Triple X strainer 2.4m, two way/corner c/w struts
F2415	Xfence XHT8-80-22, 100m
F2014	2.0mm high tensile barbed wire, 200m
CL2795	Petrol Hand Held Post Driver



CLIPEX

LAMB FRIENDLY STOCK FENCE

DORSET

The landowner had just purchased a new farm and having past experience with repairing timber fences on a regular basis on his existing farm, he didn't want to spend his valuable time repairing future fences. He wanted to install a fence that would give him a real return on his investment. The terrain was extremely challenging and any product consideration would have to take this into consideration. The Triple X fencing system was considered however the topography meant many strainers would be required, to save some money, he opted for second hand box beams as strainers, Clipex intermediates and Xfence lamb friendly netting.

Intermediate posts:

1.8m 11 clip Clipex intermediate Standard posts

Beefy Intermediates:

Used on slight bends of 15% or less.

Intermediate post centres:

4.5m centres

Strainer Type:

Second hand box beam

Wire Type:

XHT8-80-22 lamb friendly
Barbed wire 2.0mm high tensile

Tools Used:

Tractor knocker, crimps, chains and clamps

Use: Contain cattle and sheep



[CL2715](#)

[CL2720](#)

[F2415](#)

[F2014](#)

[A2247](#)

[A1332](#)

[A2220](#)

[A2210](#)

1.8m 11 clip Clipex intermediate Standard posts

2.0m 11 clip Clipex Beefy posts

Xfence XHT8-80-22, 100m

2.0mm high tensile barbed wire, 200m

Ezepull Plier

2.5mm Strainrite Crimp Sleeves

Stock Fence Clamp

Hook Chain Strainer



TRIPLE X LIVESTOCK ELECTRIC TOP

SCOTLAND

Replacement roadside stock fence in Scotland, the Triple X system was the fence of choice for the landowner.

Intermediate posts:

1.8m 11 clip Clipex Standard posts

Intermediate post centres:

4.5m centres

Beefy Intermediate:

Every 5th post

Strainer Type:

Triple X diagonal end all steel strainers every 100m

Wire Type:

XHT8-80-22 Xfence,
2.0mm high tensile electric top line

Fixings

Clipex and permanent end egg insulator

Tools Used:

Tractor mounted knocker, clamps and chains, gripples

EMERGENCY FENCE REPAIR



Clipex posts can be used as an emergency repair or to shore up existing post failures.

"Always have some posts in stock with Gripple wire joiners for those late night emergencies"



[CL2715](#)

1.8m 11 clip Clipex intermediate Standard posts

[CL2720](#)

2.0m 11 clip Clipex Beefy posts

[KCPX10](#)

Triple X strainer 2.4m, ends c/w struts

[KCPX20](#)

Triple X strainer 2.4m, two way/corner c/w struts

[F2415](#)

Xfence XHT8-80-22, 100m

[F2104](#)

2.0mm High Tensile Line Wire

[A2220](#)

Stock Fence Clamp

[A2210](#)

Hook Chain Strainer



TRIPLE X RAILWAY/CATTLE

📍 **NATIONWIDE**

Network Rail required a secure, long-lasting and low maintenance track-side fence that would prevent livestock incursion.

The Triple X fencing system ticked all the boxes. Long-life, easy to transport to site, simple to install, strength where it matters, adaptability to cope with various terrain, lower health and safety risks due to the lighter nature of the products meant fewer staff and less heavy machinery was required. This led to a real return on investment.

The Triple X fencing system was chosen and a fence pattern designed by Network Rail.

Network Rail and its chosen contractors have now installed many track side fences throughout the UK.

Tools used:

Insulated tools and Petrol post drivers



CLR2710	2.0m 13 clip Clipex intermediate Standard posts
CL2720	2.1m 13 clip Clipex Beefy Standard posts
KCPX10	Triple X strainer diagonal 2.4m, ends c/w struts
KCPX20	Triple X strainer diagonal 2.4m, two way/corner c/w struts
F2405	Xfence XHT11-122-15, 100m (XHT11-122-7.5 for horse paddocks)
F2014	2.0mm high tensile barbed wire, 200m
F2140	2.5mm high tensile baseline
A1520	Gripples, medium
A1525	Gripple T clips
CL2795	Petrol Hand Held Post Driver



TRIPLE X HORSE FENCING

The remit for this large horse rescue centre was to provide a fence that would reduce maintenance, prevent cribbing, last longer than current timber fencing whilst containing the horses safely. The choice, Triple X using Xfence XHT11-122-7.5 horse netting with Clipex caps and premium Diamond Brand green electric tape.

Intermediate posts:

2.0m 13 clip Clipex Railway/Cattle posts

Intermediate post centres:

3.5m centres

Beefy Intermediates:

2.1m 13 clip Clipex Railway/Cattle post

Used every 6th post

Strainer Type:

Triple X diagonal all steel strainer

Wire Type:

Horse Xfence XHT11-122-7.5

20mm green premium electric horse tape

Fixings:

Clipex post cap insulators, end/corner reinforced tape insulators

Tools used:

Tractor mounted post driver , chains and clamp bars to strain, crimps to join

SHROPSHIRE

**CLIPLEX POST
CAPS SUITABLE
FOR POLY WIRE,
STRANDED WIRE,
ELECTRIC ROPE,
AND ELECTRIC
TAPE UP TO 20MM**
[CLICK HERE >](#)

[CLR2710](#)

[CLR2720](#)

[EF2058](#)

[EF2059](#)

[F24065](#)

[EF3055](#)

2.0m 13 Clip Clipex Railway/Cattle post

2.1m 13 Clip Clipex Railway/Cattle post

Clipex Caps Standard

Clipex Caps Beefy

Xfence Horse Netting XHT11-122-7.5 -100m

20mm Green Electric Tape - 200m



CLIPEX

DEER XFENCE

CORNWALL

Well-known for his world record sheep shearing exploits, McVeigh Parker customer and farmer Matt Smith needed a long-lasting deer containment fence. Clipex Beefys coupled with Xfence wire were his first choice and Matt then installed the fence himself whilst continuing to farm.

Beefy Intermediates:

3.0m 14 clip Clipex deer Beefy posts used throughout

Intermediate post centres:

8m centres

Strainer Type:

Customer used reclaimed box beam crash barrier

Wire Type:

XHT13-190-15 Xfence deer netting

Tools Used:

Tractor knocker, clamps and chains

Use:

Deer containment

The speed to put up this fence is phenomenal once you understand it. Two of us put up twelve thousand metres of deer fencing in under three months whilst continuing to farm and shear.

We wanted a long-lasting fence, there really was only one choice, quality NZ wire with Clipex steel posts, it proved to be time and cost effective to erect, a great system, even if half is from Oz!

-NZ born, Matt.Smith



XHT13-190-15 ALSO AVAILABLE IN 200M ROLLS [CLICK HERE >](#)

[CL2725](#)

[TS4395](#)

[F2440](#)

[F2140](#)

[A2230](#)

[A2210](#)

3.0m 14 Clip Clipex Standard Deer Posts
Reclaimed Box Beam Strainers
Xfence XHT13-190-15, 100m
2.5mm High Tensile Top Line
Deer Strainer Clamp
Hook Chain Strainer



CLIPLEX

RED DEER CONTAINMENT

NORFOLK

A challenging brief to fence in Red Deer around the client's estate, as well as exclude the smaller breeds such as Muntjac. The fence had to have a desired life in excess of 25 years. The chosen design involved the extremely durable Xfence wire netting with long-life Clipex steel posts and two lines of electric wire.

Intermediate posts:

Bespoke design 3.0m 18 clip Clipex Standard posts (special design, MOQ 2000)

Intermediate post centres:

4m centres

Beefy Intermediates: Beefy 3.0m 18 clip bespoke Clipex posts were used every 4th post to strengthen the fence

Strainer Type:

Customer used reclaimed telegraph poles

Wire Type:

Xfence premium long wire netting, 17 line, 190cm high, 15cm wide verticals was the wire of choice. 2.0mm high tensile heavily galvanised electric lines

Fixings

Gripple plus wire joiners

Tools Used:

Tractor and knocker, crimps, clamp bar and staples - two men

Use:

Deer containment



**WIRE OFFSET
SUITABLE FOR
SUPER POLY WIRE
AND STRANDED
WIRE [CLICK HERE >](#)**

**SPECIAL
SPECIAL
F2444
F2014
CL2790
CL2793
EF2055
EF2120**

3.0m 18 clip Clipex bespoke intermediate Standard
3.0m 18 clip Clipex bespoke Beefy posts
Xfence XLHT17-190-15, 100m
2.0mm High Tensile Plain Galvanised Wire
Clipex Drive Sleeve, Standard
Clipex Drive Sleeve, Beefy
Clipex Insulators
Wire Offsets 30cm



TRIPLE X DEER XFENCE

OXFORDSHIRE

Fencing contractor erected a road side deer fence on very stony terrain. The Triple X system was the ideal product for the job.

Intermediate posts:

3.0m 14 clip Clipex Standard Deer posts

Intermediate post centres:

4.5m centres

Strainer Type:

Triple X diagonal all steel strainers

Wire Type:

XLHT13-190-15 Xfence deer netting
2.0mm High tensile barbed wire

Fixings

Gripple plus wire joiners

Tools Used:

Tractor, knocker, Gripples, cutters, Clipex drive sleeve, deer clamps and chains to strain

Use:

Excluding deer from roadside, public access to the land

“
Very knowledgeable salesman guided me through all the products and provided excellent service. The fence was exceptionally quick to erect, we have now started renewing all the fences on the farm”

- Oxfordshire farmer



FAST TO
ERECT



XLHT13-190-15 (LIGHT)
THIS LIGHTWEIGHT MESH
PROVIDES A COST EFFECTIVE
EXCLUSION BARRIER. FOR A
STRONGER CONTAINMENT WE
RECOMMEND DEER XFENCE
HEAVY



[CL2725](#)

[KCPX30](#)

[KCPX40](#)

[F2441](#)

[F2010](#)

[A1520](#)

[A2230](#)

[A2210](#)

3.0m 14 clip Clipex intermediate Standard posts

3.0m Triple X strainer ends c/w struts

3.0m Triple X strainer corner/two way c/w struts

XLHT13-190-15 Xfence light deer netting, 100m

2.0mm high tensile barbed wire, 200m

Medium Gripples

Deer Strainer Clamp

Hook Chain Strainer

**BESPOKE POSTS FOR ANY
APPLICATION CAN BE DESIGNED –
MINIMUM ORDER REQUIREMENT
2000 PIECE'S**



TRIPLE X SOLAR FARM

📍 GLOUCESTERSHIRE

The client's request was to provide a secure fence for a newly developed solar farm. The fence specification had to have a desired life in excess of 25 years. The chosen design involved the cost effective long-life Xfence light deer wire netting with easy to install Clipex deer posts and one line of high tensile barbed wire. All products were standard and delivered within a week of the order.

Intermediate posts:

3.0m 14 clip Clipex Standard posts

Intermediate post centres:

3.5m centres

Strainer Type:

Triple X diagonal all steel strainers every 150m

Wire Type:

lightweight deer exclusion Xfence.

Xfence premium long-life lightweight wire netting,
XLHT13-190-15, 2.0mm high tensile barbed wire

Tools Used:

Tractor, knocker, Gripples, cutters, Clipex drive sleeve

Use:

Deer/person exclusion



[CL2725](#)

3.0m 14 clip Clipex intermediate Standard posts

[KCPX30](#)

3.0m Triple X strainer ends c/w struts

[KCPX40](#)

3.0m Triple X strainer corner/two way c/w struts

[F2441](#)

XLHT13-190-15 Xfence light deer netting, 100m

[F2010](#)

2.0mm high tensile barbed wire, 200m

[CL2790](#)

Clipex drive sleeve, standard

[A1520](#)

Medium Gripple Plus Wire Joiner

[A1525](#)

Gripple T-clips



CLIPEX

MY DOG FIELD



Innovative new business, My Dog Field occupies a picturesque three acre plot of moorland situated between Manchester and Huddersfield. They provide customers with a secure field for hire with other dog owners, or to have sole use of. This allows them to let their dogs run free safely or makes it easier to carry out training without the worry of their pet escaping or being attacked by other dogs.

Clearly, in order to justify the investment, it was vital that the area was secured safely, reliably and with a product that will last a long time. The terrain is steep, rocky and there is no access for heavy machinery. My Dog Field chose Xfence, Clipex and creosoted strainers as the perfect solution.

After thoroughly researching all the options, the owner, Charlotte chose McVeigh Parker's industry-leading products. Alongside reliable security, an important consideration is value for money – investing in fencing guaranteed to last will save money in the long term.

This type of simple fencing system has since been used on numerous similar projects throughout the UK.



Intermediate posts:

3.0m 14 clip Clipex standard deer posts

Intermediate post centres:

4m centres

Strainer Type:

Creosoted strainers

Wire Type:

Xfence XLHT13-190-7.5, lightweight boar/dog

Tools Used:

Hydraulic post driver, Deer clamps and chains, Ezecrimp plier and crimps

CL2725	3.0m 14 Clip Clipex Standard Deer Posts
F2448	Xfence XLHT13-190-7.5, 100m
F5925	3.0m, 150-175Ø Creosoted Strainer
F5945	2.4m, 75-100Ø Creosoted Strut
A1520	Medium Gripple Plus Wire Joiner
A2230	Deer Strainer Clamp
A2210	Hook Chain Strainer
A2247	Ezepull Plier
A1332	2.5mm Strainrite Crimp Sleeves

FLOOD FENCE

📍 GLOUCESTERSHIRE

Following years of replacing timber posts, clearing debris off the netting, tensioning and repairing the fence after regular flood damage, the landowner looked at alternatives. A simple 8-line fence with ratchet tensioners at either end, allows the tension to be taken off, in flood season then the lower line wires can be simply moved up and out of the way of flood damage. In the spring, Clipex insulators can be attached easily to the posts and the fence electrified.

Intermediate posts:

1.8m 11 clip Clipex Standard posts

Intermediate post centres:

4m centres

Strainer Type:

Triple X all steel diagonal strainer

Wire Type:

2.5mm high tensile heavily galvanised to BSEN 10244-2 Class A

Fixings:

Clipex insulators
Ratchet winders

Tools used: Manual post rammer

[CL2715](#)

[KCPX10](#)

[KCPX20](#)

[F2142](#)

[EF2055](#)

[CL4230](#)

1.8m 11 Clip Clipex Standard posts

Triple X strainer 2.4m, ends c/w struts

Triple X strainer 2.4m, two way/corner c/w struts

2.5mm High Tensile Line Wire

Clipex Insulators

Ratchet Tensioner

“ ”
After our initial trial with Clipex using the stock fence system we have now used a line wire system on a flood plain area of the estate and the deer fence posts for a large pheasant pen through part of our woodland.

The ease of use, lightweight nature of the posts and speed of installation along with the 30 year guarantee now makes this our choice for all types of fencing on the estate.

- J. Freestone at Overbury.



CLIPLEX INSULATORS
SUITABLE FOR
POLY WIRE,
STRANDED WIRE
AND ELECTRIC
ROPE [CLICK HERE >](#)



RATCHET WINDERS



The Ringed Ouzel bird has been given red status so there is an urgent need to secure their habitat. The project required a post that could be erected in the rocky terrain of the Dartmoor Tors, the remit was to exclude sheep from the top of the Tors so that the Ringed Ouzel could nest in its preferred natural foliage.

McVeigh Parker had the answer with the unique Clipex rock posts, the remit stated that no chemicals such as quick drying cement or liquid fix could be used. Light and cost effective to transport to site, previously helicopters were used to transport timber fence to site, Clipex can be manually carried.

Once a pilot hole had been drilled in the Dartmoor granite the re-bar end was placed into the pilot hole and it stayed fast in the 20mm drilled hole.

“MP Tor the rescue” Line wire fence to protect the Ring Ouzel on Dartmoor Tor

Intermediate posts:

1.43m 11 clips clipex standard rock post

Intermediate post centres:

2.5m centres as terrain allowed

Strainer Type:

Clipex Eco Strainer and strut

Wire Type:

2.5mm High tensile line wire

One top line of barbed wire 2.0mm High tensile

Tools Used:

Manual battery drill, post rammer, Gripples



[CL2716](#)
[KCPX15](#)
[A2430](#)
[A1520](#)

1.43m 11 Clips Clipex Standard Rock Post
 Clipex Eco Strainer
 Post Hole Bumper/Rammer
 Medium Gripple Plus Wire Joiner



The landowner wanted a rabbit fence that would be supported for many years, he had opted for heavy gauge Super 6 hexagonal rabbit wire netting but wanted longer life posts to support it. Clipex Standards with two high tensile support wires.

Intermediate posts:

1.8m 11 clip Clipex intermediate Standard posts

Intermediate post centres:

Every 5 - 6m

Strainer Type:

Chestnut strainer ends

Wire Type:

18g rabbit netting using high tensile line wire
2.5mm galvanised high tensile wire

Tools Used:

Manual post bumper, gripples, wire grab chain strainer.

Use:

Fishery protection

One of the largest Christmas tree growers in the UK required protection from deer and rabbits on their new plantation. Light Xfence and hexagonal rabbit netting erected on Clipex deer posts were chosen as the best option.

Intermediate posts:

3.0m 14 clip Clipex deer standard posts

Intermediate post centres:

Every 4.5m

Beefy Intermediate:

Beefy 3.0m 14 clip bespoke Clipex posts were used every 4th post to strengthen the fence

Strainer Type:

Triple x diagonal all steel strainers

Wire Type:

XLHT13-190-15 Xfence light exclusion deer netting, 1050mm heavy gauge hexagonal wire netting at the base

Tools Used:

Tractor knocker, chains and clamps

Use:

Deer exclusion

CL2715

1.8m 11 clip Clipex intermediate Standard posts

F4126

Chestnut Strainers

F1G3250

1.2mm Super 6 Hexagonal Wire

A2430

Post Hole Bumper/Rammer

A1520

Medium Gripple Plus Wire Joiner

A2215

Wire Grab Chain Strainer

CL2725

3.0m 14 clip Clipex intermediate Standard posts

SPECIAL

3.0m 14 clip Bespoke Clipex Post

F1G3250

1.2mm - 1050mm high Super 6 Hexagonal Wire

F2441

XLHT13-190-15 Xfence light deer netting, 100m



LINE WIRE SYSTEMS

📍NATIONWIDE

Clipex heavy hot dip galvanised posts have pre-set clips to match various wire patterns however this doesn't restrict their use. Clipex posts are quick and easy to install, provide a strong long-lasting fence and can be used on various different projects using a simple line wire system. Strain three or four support wires and clip them into your chosen spacings on the posts, then your choice of wire netting can easily be clipped to the support wires. This type of fencing system is especially useful when installing a fence line that needs to be trenched in or has a closer mesh pattern.



SAPLING PROTECTION, RABBIT FENCING



XFENCE SPECIAL



CHAIN LINK



WELDED MESH



TRIPLE X FREE RANGE EGG POULTRY FARM

KENT

The largest free range poultry producer in Southern England was looking to reduce its annual fence maintenance costs and create a secure fence for their farms. Manager Mr. G. Fuller used his past experience to design an Xfence netting pattern that he was confident would exclude predators. The Triple X system was chosen coupled with special cranks.

Intermediate posts:

3.0m 14 clip Clipex Standard deer posts

Intermediate post centres:

5m centres

Strainer Type:

Triple X all steel box end strainer

Triple X all steel box corner/two way strainer

Wire Type:

Xfence XHT26-240-5 buried,

2.5mm high tensile support lines

Extras:

Clipex Cranked Extensions, Clipex Insulators

Use: Predator exclusion

We erected over 10.5km of fencing 1.95m above ground and 450mm buried, including an apron fold above, this was a challenging brief. We worked closely with McVeigh Parker on a fence design that would future proof our operations for many years whilst giving us a real return on investment. We are not having to walk the fence line frequently checking for predator incursion. This fence offers us real peace of mind and gives us security and a long-life fence.

-G.Fuller Poultry Manager



CL2725	3.0m 14 clip Clipex Standard deer posts
KCPX35	Triple X Deer Box End Strainer
KCPX45	Triple X Deer Box Corner/Two Way Strainer
SPECIAL	Xfence XHT26-240-5
F2142	2.5mm High Tensile Line Wire
CL2760	Cranked Extension Intermediates
CL2761/2	Corner/End Cranks
EF2055	Clipex Insulators
EF2052	Clipex Offset Insulator



SEMI-PERMANENT ELECTRIC FENCE DESIGN

The Clipex Pasture post system has been designed to facilitate the growing market for managed intensive rotational grazing. Resting grazed land allows the vegetation to renew energy reserves, rebuild shoots and deepen the root systems, with the result being long-term maximum biomass production.

Pasture posts come in an Eco and Beefy profile, neither have anti lift plates allowing them to be relocated easily. Clipex insulators are easily retro-fitted to these four clip posts, the clips are suitably spaced to allow you to install a one, two, three or four line system subject to your livestock type.

The posts can be used to create a permanent ring fence with semi-permanent dividing paddocks to allow for rotational grazing or combined with other pasture control systems to provide a stronger, longer lasting fence. Coupled with our range of Gallagher energisers and fittings this is a simple fencing system that enables easy management of stock.

Pasture posts are also ideal for temporary rabbit fencing or simple demarcation line wire fence.

[CL2710](#)

[CL2708](#)

[F2140](#)

[EF2055](#)

[EF2020](#)

[CL2795](#)

[A2043](#)

1.5m 4 Clip Clipex Standard Pasture Post

1.5m 4 Clip Clipex Beefy Pasture Post


2.5mm High Tensile Line Wire

Clipex Insulator

Permanent End Strain Insulator

Petrol Hand Held Post Driver

Knipex High Leverage Cutters



Clipex has enabled us to permanently fence areas we were unable to with traditional fencing. We have now got a ring fence around the entire farm something we had not tackled in the past due to the limited access for machinery on the steep downland we graze.

- S.Cath at West Woodhay

Intermediate posts:

1.5m 4 clip Clipex Pasture posts

Intermediate post centres:

9 -10m centres

Beefy Intermediates:

At slight change of direction/ends

Wire Type:

High tensile line wire - heavily galvanised to BSEN 10244-2 Class A

Fixings:

Clipex insulator, End strain insulator

Tools used:

Hand held petrol post driver, Knipex wire cutters

The logo for CLIPLEX, with 'CLIP' in orange and 'EX' in green.

BESPOKE POST DESIGN

📍 KENT

Clipex bespoke hop posts have been designed for the hop market, the smaller profile enables easier harvesting, whilst the strength and galvanised finish give a longer maintenance free life. The post was designed with a self-locking top clip to prevent the harvester hooking out the top wire when picking the hops, then a ground base clip to take the base wire so the synthetic netting can be tensioned between the two.

Beefy Intermediates: Bespoke 4.5m 2 Clip Beefy posts

Beefy post centres: 7m centres

Wire Type: Synthetic netting

“ ”
My reason for opting for Clipex all steel posts was quite simply the life expectancy of over 30 years, an initial investment but thereafter maintenance is greatly reduced. The smaller profile made installation easier, we did not require heavy machinery thus reducing ground compaction. The larger Beefy profile has proved very successful, so much so that I plan on renewing my old chestnut poles with Clipex.

- R. Humphreys, Kent Hop Grower

More designs and powdered coating available. Minimum order qty 2000



The logo for CLIPLEX, with 'CLIP' in orange and 'EX' in green.

DROPPER LINE WIRE SYSTEMS

Clipex posts coupled with droppers and single strand wire can create a very cost effective strong and versatile fence.

Intermediate posts can be spaced further apart saving on overall material and labour costs, droppers can be retro-fitted easily. Combined with tension springs and ratchet winders, this single strand fence can cope with all climatic changes whilst still retaining its tension. Various dropper designs available, in steel, timber, wire, electric and plastic.



ADAPTABLE TO YOUR REQUIREMENTS

Clipex is unrivalled in its versatility. McVeigh Parker offer five different patterns in five different lengths and is available in 2.5mm, 3mm and 3.5mm thick gauge. Extensions can be added at its base or top to extend by 510mm. This makes Clipex very adaptable, many problems can be solved with the Clipex solution. The Clipex self-locking clip sits inside the post preventing any damage when being driven in.

Installing could not be simpler...



Berkshire Branch

Southend, Bradfield, Reading
RG7 6HA

Tel: 01189 744777

Email: berks@mcveighparker.co.uk

Cambridge Branch

Caxton Depot, Ermine Street, Caxton
CB23 3PG

Tel: 01954 714110

Email: cambs@mcveighparker.co.uk

Devon Branch

Muxbeare Lane, Uffculme, Cullompton,
Devon, EX15 3BY

Tel: 01884 824486

Email: devon@mcveighparker.co.uk

Kent Branch

Thornden Farm, Lenham Road,
Headcorn, TN27 9LH

Tel: 01622 891095

Email: kent@mcveighparker.co.uk

Lancashire Branch

Park Lane Industrial Estate, Wigan Road,
Ashton-In-Makerfield, Wigan, WN4 0BZ

Tel: 01942 725523

Email: lancs@mcveighparker.co.uk

Scotland Branch

Market Road, Biggar, Lanarkshire
ML12 6FX

Tel: 01899 221150

Email: scotland@mcveighparker.co.uk

Sussex Branch

Stane Street, Billingshurst
RH14 9JR

Tel: 01403 784250

Email: sussex@mcveighparker.co.uk

Worcestershire Branch

Unit 16 Wilden Lane Ind. Estate,
Stourport on Severn, DY13 9JY

Tel: 01299 826111

Email: worcs@mcveighparker.co.uk

Key account manager and trade enquiries contact
trade@mcveighparker.co.uk

Tel: +44 (0) 3330 050115

sales@mcveighparker.co.uk

www.mcveighparker.com

mcveighparker.com/triple-x-fencing-range



/McVeighParker



@McVeigh_Parker



mcveigh_parker_est1979