



# **Animal Handling**

**PRODUCT GUIDE** 







### **INDEX**

1 Cattle Crushes	Page. 3
<b>2</b> Cattle Force Tub & Permanent Yards	Page. 8
<b>3</b> Semi-Permanent Cattle Yards & Components	Page. 11
<b>4</b> Sheep Handler	Page. 14
<b>5</b> Permanent Sheep Yards	Page. 17
<b>6</b> Semi-Permanent Sheep Yards & Components	Page. 18
<b>7</b> Equine	Page. 23

### 1.1 HDX 900 series



Code - CH-HDX900VC Length - 3.4m Internal width - 720mm

### **SINGLE SQUEEZE**

- Head Scoop included
- New heavy duty 100x series head bail
- Simple operation with nylon bushes for silent and maintenance free operation
- Single parallel squeeze
- Infinite, silent lock on head bail & squeeze
- Slam catches on all swinging doors
- Head bail handle at front and rear
- Hot dipped galvanised heavy duty construction
- Full vet section
- 120mm anti-bruise rail
- Split gates both side
- Sheeted slide gate and bottom doors
- Load Bar mounts on feet (Fits all popular brands)
- In-built floor section
- Lifting eyes on top of crush for easy transportation
- Weighing options
- Available in both left and right hand access



**Vet Section** 



Slam Latch



With squeeze



Without squeeze

### 1.2 HDX 1100 series











Without squeeze



**Anti Rattle Catch** 



Code - CH-HDX1100VC Length - 3.4m Internal width - 720mm

### **DOUBLE SQUEEZE**

- Head Scoop included
- NEW heavy duty 100x series head bail
- Simple operation with nylon bushes for silent and maintenance free operations
- Double parallel squeeze
- Infinite, silent lock on head bail & squeeze
- Anti-rattle catches on all swinging doors
- Head bail handle at front and rear
- Galvanised heavy duty construction
- Full vet section
- 120mm anti-bruise rail
- Split gates both side
- Sheeted slide gate bottom doors
- Load Bar mounts on feet (Fits all popular brands)
- In-built floor section
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options

## 1.3 Head Bail & Head Scoop

### **HEAD BAIL**

#### NEW HDX Series Head bail

- NEW infinite locking system
- NEW rubber design
- Minimal gaps
- Nylon bushes
- Noise dampening panelling
- Silent operations
- HD galvanised construction
- Heavy duty construction
- Drop-down safety handle
- Included with: HDX900 & HDX1100

Code - CH-HDHB100



Without Head scoop



With Head scoop

### **HEAD SCOOP**

- Head brace
- Lock release
- Infinite locking mechanism
- Extendable handle
- Adjustable width
- Nylon bushes in chin bar

Code - CHCBX





### 1.4 HD 1500 series

### **DOUBLE SQUEEZE**

- 450Mpa grade steel
- Hot dip galvanised
- Double parallel squeeze
- Anti-rattle catches on all swinging doors
- Super duty head scoop
- Animal inspecting doors
- Nylon bushes in all hinges
- Three unique side doors for easy animal access
- Infinite, silent lock on head scoop
- Clipex castings on steel corners
- Full vet section
- Anti-bruise rail
- Weigh bar mounting points
- Customisable access door configurations
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options
- 1500kg construction







Code - CH-HD1500VC

### 1.5 HD 2000 series

### **DOUBLE SQUEEZE**


- 450Mpa grade steel
- Hot dip galvanised
- Double parallel squeeze
- Anti-rattle catches on all swinging doors
- Super duty head scoop
- Animal inspecting doors
- Nylon bushes in all hinges
- Three unique side doors for easy animal access
- Infinite, silent lock on head scoop
- Clipex castings on steel corners
- Full vet section
- Anti-bruise rail
- Weigh scale mounting points
- Customisable access door configurations
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options
- 2000kg construction
- Heavy duty "split" entry gate
- Auto locking rear sliding gate
- Large control panel available on AUTO model.
- Automated weighing with auto drafting capabilities
- Side draft capability
- 4-6 way draft capable
- Reduce labour costs



Code - CH-HD2000VC-AIR CH-HD2000VC-AUTO

### 2.1 HD Forcing Tub

Our patent featuring, HD work area was developed from the ground up to be the most efficient in its class featuring pneumatic operations and automatic processing.



- HD rotary crowd tub
- Hot dipped galvanised construction for longevity
- Curved panels improves flow & reduce bruising
- Walkway and platform


- Adjustable width curved race
- Adjustable v-straight race before crush improves flow
- 3 way air draft module with access gates. Optional 5 way draft available
- Designed to work with our HD2000 series auto crush for autonomous weighing and drafting with compatible indicator, includes remote for head bail and draft (crush sold separately)

### 2.2 PG Forcing Tub

The PG cattle work area system is designed for smaller working numbers. It is made from a high quality pre-gal construction.

- PG rotary crowd tub
- Ratchet operated
- Pre-gal material

- HD slide gates
- Sheeted curved Race
- Pneumatic options available



Optional walkway

### 3 way and 5 way Draft

#### 3 Way Draft

Code - CH-HDAD-3WAY

Height - 2.5m Length - 3.25m

Internal width - 850mm

#### **5 Way Draft**

Code - CH-HDAD-5WAY

Height - 2.5m

Internal width - 850mm



### 2.3 Permanent Cattle Yards



Code - CH-HDSG2000





Separately

**AIR SLIDE GATE** 


Code - CH-HDSG-AIR

Height - 2.15m (Opening height - 1.87m)


Opening width - 750mm

### PC600 PERMANENT YARD

- HD Cattle Work Area System, includes HD2000 series auto crush
- 120x40 gal cattle rail panels and gates
- 76od x 4mm hot dipped gal yard posts
- 102od x 4mm hot dipped gal gate posts
- 4 way automatic drafting with compatible indicator



### 3.1 Studman Gates & Panels



120MM

Studman oval rail for strength and durability

Anti-bruising for animal and handler





Slam latch operational



STUDMAN GATE IN FRAME Code - GIF120 Height - 2.25m Width - Pin to pin - 2.5m



DETAIL





DETAIL





Code - CP1204018 Height - 1.8m

Width - 2.2m

Also available in 1.8m X 1.8m

#### STUDMAN MAN GATE Code - Ch-MG120

Height - 1.8m

Width - 860mm



SHEETED CATTLE PANEL

Code - CH-CPS-1.8

Height - 1.8m

Width - 1.8m

Also available in 1.8m X 2.2m

### 3.2 Components of the crush



RACE BOW
Code - CH-RS60OD



EXTENSION BAR

Code - CH-900HANDLEKIT











SLIDE GATE 60 Code - CH-SG60D







HALF SHEETED GATE

Code - CH-SG40

### 3.3 Semi-Permanent Cattle Yards






### **C55 Cattle Yard**

Studman panels & gates

Total area 110m<sup>2</sup>



Optional manual crush

#### YARD CONTAINS

- 20 2.2m Studman Panels
- 5 Studman Gate in Frames
- 2 Race Bow
- 58 Cattle Pins
- 1 Slide Gate 60
- Ramp optional extra

All components are interchangeable and can be tailored to suit your farming needs

## **Sheep Handler**



- Automatic drafting
- Tilt table
- Head access
- Auto pre-catch

- Auto catching
- Tail access
- Tow Hitch
- Unique Folding Design

- Weigh scale Attachment
- Electric Jacks
- Optional Wireless Foot Pedal

Multi-purpose all in one sheep handling machine





### Sheep Handling Made Easy

### Work Large Flocks

Use the sheep handler to work large flocks of sheep without missing a beat. Fully portable on its own trailer with off-road axles and towbar, it attaches to your vehicle for portable flexibility. Three electric height adjustable jacks lower to stabilise the trailer at a comfortable height for the operator and the wheels remove easily out of the way. The Clipex sheep handler gives the best access to sheep compared to other sheep handlers on the market and due to the precatch gate and anti-backing technology, the handler can draft up to 800 sheep an hour with ease.

### **Fully Automated Handling**

The Clipex sheep handler handles up to 400 sheep an hour with its fully automated head and tail access. Its full roll over capability for full crutch, wig and pizzle blow allows easy access to the front and rear of the animal. A folding tail flap swings away automatically when the table rolls over allowing you to crutch 100+ sheep an hour. The handler can easily be adjusted for different sized sheep and has automatic weighing for up to fiveway drafting. Its nylon bushes on all moving parts create whisper quiet operations to help sheep move through efficiently and stress free.



### 6 in 1 Auto Sheep Drafter

The Clipex® 6 IN 1 Auto Sheep Drafter, has been designed to not only be an incredibly fast auto drafter, but also to perform most critical tasks with ease. The Auto Sheep Handler enables, Weighing, Drafting, Drenching, Needling, Mouthing & Dagging in a compact design that can fit into most sheep yards.

- •Weigh- Catch and hold ensuring accurate weights
- •Auto Draft Auto Draft up to 800 sheep per hour\*
- •Drench Drench up to 400 sheep per hour
- •Needle- Fully restrained, easy access needling
- •Mouth Open front access for easy mouthing
- DAG Stand up dagging with rear access














## 05

### **Permanent Sheep Yards**



28.1m

### **PS2300 Permanent Yard**

- Draft squares
- 102 od x 4mm hot dipped gate posts
- SH16 contractor sheep handler

- Sheeted panels on inside off bugle
- 3 way draft, 4m V race with anti-backing bars + 3 way manual v-draft
- Permanent gal sheep panels with 60 od high tensile heavy duty gal frame material



#### **Concreted Posts**

The sheep yard is a permanent yard with concreted posts for all gates and panels

### Panel Post Clamps



### 6.1 S400 Semi-Permanent Sheep Yard








### S400 Yard

- Holds up to 400 sheep
- Includes V race with 3 way draft
- 4 contained areas
- 189M<sup>2</sup>

#### YARD CONTAINS

- 30 2.2m Sheeted Panels
- 5 2.4m Sheep Gates
- 2 Sheep Adapter Posts
- 1 V-Draft Module
- 90 Yard Pins



### 6.2 S650 Semi-Permanent Sheep Yard






### S650 Yard

- Holds up to 650 sheep
- Includes V race with 3 way draft
- 6 contained areas

- Straight drenching race
- Permanent sheep rail
- 263M<sup>2</sup>



### 6.3 Individual Sheep Components



#### SHEEP GATE IN FRAME WITH SLAM LATCH

Code - AH-SG60-6SL

Height - 1.1m

Width - 2.2m (Also available in 3m)



Slam Latch



#### SHEEP SHEETED PANEL

Code - AH-SPSH Height - 1.1m

Width - 2.2m

Also available in a height of 900mm



#### **SHEEP PANEL**

Code - AH-SP60-6-1

Height - 1.1m

Width - 1m



#### **SHEEP PANEL**

Code - AH-SP60-6

Height - 1.1m

Width - 2.2m



#### **SHEEP PANEL ADAPTER POST**

Code - AH- SP60-ADP

Height - 1.65m

### **Individual Sheep Components**



RACE GATE
Code - AH-SR660-6
Height - 1m
Internal Width - 550mm



DOUBLE RACE GATE
Code - AH-SRG60-6 DOUBLE
Height - 1.1m
Internal Width - 1.15m



SHEEP MAN GATE
Code - AH-SMG60-6
Height - 1.1m
Internal Width - 550mm



DOUBLE RACE BOW Code - AH-SRB-DOUBLE



**Detail** 



RACE BOW
Code - AH-SRB
Height - 1.1m
Internal Width - 550mm



#### **WORKING RACE**

Formed with race gates and 2.2m long panels



### **Individual Sheep Components**

#### **WORKING SHEEP CURVE PANELS**



#### **SHEEP CURVE PANELS**

**Code** - AH-SP60-C1750

Height - 1.1m Radius - 2.4m

#### **SHEEP CURVE PANELS**

Code - AH-SP-C1275

Height - 1.1m Radius - 1.8m



#### **V-DRAFT**

- V-race with 3 way draft module
- Hot dipped galvanised for longevity
- Flat packed for easy relocation and freight
- Permanent or semi-permanent
- Improve sheep flow and stop sheep walking backwards with our anti-backing bars
- Ergonomic draft handles
- Draft gates available separatley
- Long draft gates for ease of drafting



**3 WAY DRAFT GATE** 

Code - AH-V-3WAYDRAFT



**V-DRAFTER** 

Code - AH-V-MODULE

Length - 5.4m



SOLD Separately



V-DRAFT FOLD OUT SWING GATE

Code - AH-FRSG-VD



V-DRAFT BACKING GATE

Code - AH-V-Draft-BG

### 7.1 Equine Range

Our equine gates and panels are designed using oval rail to minimize bruising while maintaining strength.





The equine gates feature an adjustable top frame adjusting from a height of 2 metres to 2.7 metres.

**EQUINE GATE** 

Code - EQGIF-60 Height - 2.0m - 2.7m Width - 2.2m



Detail of Equine Gate



**EQUINE PANEL** 

Code - EQ-603016 Height - 1.8m Width - 2.2m

### 7.2 Equine Yards

## 11 METRE EQUINE YARD

15 panels and 1 gate 11.28 metres in diameter




## 14 METRE EQUINE YARD

20 panels and 1 gate 14.71 metres in diameter



## 18 METRE EQUINE YARD

25 panels and 1 gate 18.18 metres in diameter







**STOCKYARDS** 

### **McVeigh Parker Depots**

Berkshire, Reading
Cambridgeshire, Caxton
Devon, Cullompton
Kent, Headcorn
Lancashire, Wigan
Scotland, Biggar
Sussex, Billingshurst

